

## Health Facility Assessment (Bempu)

### Health Facility Assessment

#### Health Facility ID Number

---

#### Health Facility Name

- Port Moresby General Hospital
- Goroka Hospital
- Henganofi Health Center
- Komperi Health Center
- Kafentina Health Center
- Other

If "other," please specify

---

#### Date of Assessment

yyyy-mm-dd

hh:mm

---

Consent Statement: We are conducting a facility assessment for all facilities where the medical device known as "Bebi Kol Kilok" has been utilized. This is part of a joint program evaluation with the United States Centers for Disease Control and Prevention (or CDC) and UNICEF. We are conducting this facility assessment to evaluate the capacity for each facility to deliver appropriate newborn care. We will be reviewing patient charts, patient registers and interviewing persons involved in administration and direct patient care. All information obtained will remain secure and will be de-identified prior to distribution to stakeholders.

**How many Medical Doctors work at this facility?**

*If unknown, put "99"*

---

**How many Clinical Officers work at this facility?**

*If unknown, put "99"*

---

**Is a qualified health worker available 24 hours a day and 7 days a week? Either present or on call?**

Yes

No

**Is the health facility open 24 hours a day and 7 days a week?**

Yes

No

**Is there a labor ward?**

Yes

No

**Is the labor ward operational 24 hours a day and 7 days a week?**

Yes

No

**Is there a maternity ward?**

Yes

No

**Is there a designated neonatal ward, room or allocated space?**

Yes

No

**Is there running water at this facility 24 hours a day and 7 days a week?**

Yes

No

**Does the facility have the following materials for neonatal resuscitation? (read all answers out loud; check all that apply)**

- Newborn resuscitation table
- Mucus extractor/simple suction
- Neonatal face mask (Size 0)
- Neonatal face mask (Size 1)
- Neonatal size ambu (ventilator) bag
- Suction catheter, 10, 12 Ch
- Infant laryngoscope with spare bulb and batteries
- Endotracheal 3.5, 3.0
- Disposable aspirator (operated by foot or electrically)
- Mucus trap for suction
- Anatomical model (for practice)

**Which of the following available equipment is currently functional? (read all answers out loud; check all that apply)**

- Newborn resuscitation table
- Mucus extractor/simple suction
- Neonatal face mask (Size 0)
- Neonatal face mask (Size 1)
- Neonatal size ambu (ventilator) bag
- Suction catheter, 10, 12 Ch
- Infant laryngoscope with spare bulb and batteries
- Endotracheal 3.5, 3.0
- Disposable aspirator (operated by foot or electrically)
- Mucus trap for suction
- Anatomical model (for practice)

**Is equipment needed for neonatal resuscitation within reach or less than a minute away from patients?**

- Yes
- No

**Which of the following available equipment is currently functional? (read all answers out loud; check all that apply)**

- Register for sick babies
- Daily patient chart
- IV fluid set for neonates or umbilical catheter
- Syringes (0.5 and/or 1 mL)
- Radiant warmer (i.e. warming lamp)
- Incubator
- Designated space or beds for Kangaroo Mother Care (KMC)
- KMC Register
- Nasogastric feeding tube
- Cup and spoon for infant feeding
- Small cups for breast milk expression
- Ictrometer
- Fluorescent tubes for phototherapy to treat jaundice

**For Interviewer: Were any additional comments made on available or functional equipment? (i.e. other significant equipment to note, significant numbers of equipment)**

---

Emergency Newborn Signal Functions and Other Newborn Interventions

**Has newborn resuscitation with bag and mask been performed at this facility in the last 3 months?**

- Yes
- No

**What types of health workers provided corticosteroids in the last 3 months? (do not read answers aloud; check all that apply)**

- Medical Doctor (General Practitioner)
- Pediatrician
- Neonatologist
- OB/GYN
- Associate Clinician
- Midwives
- Nurses
- Other

If "other", please specify

---

**If corticosteroids for pre-term labor were NOT provided in the last 3 months, why? (do not read answers aloud; check all that apply)**

- Lack of human resources
- Training needed
- Lack of supplies/equipment/drugs
- Weak management
- Unsupportive administration or no policy
- No indication
- Other

If "other," please specify

---

**Have antibiotics been given for preterm premature rupture of membranes (pPROM) in the last 3 months?**

- Yes
- No

What types of health workers provided antibiotics for neonatal infections in the last 3 months? (do not read answers aloud; check all that apply)

- Medical Doctor (General Practitioner)
- Pediatrician
- Neonatologist
- OB/GYN
- Associate Clinician
- Midwives
- Nurses
- Other

If "other," please specify

---

If antibiotics for neonatal infections were NOT provided in the last 3 months, why? (do not read answers aloud; check all that apply)

- Lack of human resources
- Training needed
- Lack of supplies/equipment/drugs
- Weak management
- Unsupportive administration or no policy
- No indication
- Other

If "other," please specify

---

Has Kangaroo Mother Care (KMC) been provided to very small babies (defined as newborns less than 2500 grams), either continuously or intermittently, in the last 3 months?

- Yes
- No

What types of health workers administered oxygen to newborns in the last 3 months? (do not read answers aloud; check all that apply)

- Medical Doctor (General Practitioner)
- Pediatrician
- Neonatologist
- OB/GYN
- Associate Clinician
- Midwives
- Nurses
- Other

If "other," please specify

---

Was oxygen therapy monitored by pulse oximetry?

- Yes
- No
- Uncertain

If oxygen has NOT been given to newborns in the last 3 months, why? (do not read answers aloud; check all that apply)

- Lack of human resources
- Training needed
- Lack of supplies/equipment/drugs
- Weak management
- Unsupportive administration or no policy
- No indication
- Other

If "other," please specify

---